

# Surge arrester POLIM-H .. SD



#### Product description:

- Metal-oxide (MO) surge arrester without spark gap, designed and type tested according to EN 50526-1 and IEC 62848-1, with own ABB metal-oxide resistors since more than 30 years
- Direct molded silicone housing in patented loop design for best environmental robustness
- 100 % in house production fully in charge of complete process
- High quality, safe and reliable, maintenance free
- For DC systems
- High energy absorption capacity
- · For indoor and outdoor installations

#### Especially recommended for overvoltage protection of:

- Fixed installations in DC traction systems (A1 and A2)
- Equipment on rolling stock and locomotives (A1)
- Secondary devices in DC installations

#### Additional certification:

- Shock and vibration tested according to IEC 61373
- Fire and smoke behavior tested and classified according to EN 45545-2

### Technical data

Classification according to EN 50526-1 and IEC 62848-1				
Nominal discharge current Ι <sub>n</sub> (8/20 μs)	10 kA <sub>peak</sub>			
Class	DC-B			
High current impulse I <sub>hc</sub> (4/10 μs)	100 kA <sub>peak</sub>			
Switching current impulse I <sub>sw</sub> (30/60 μs)	1000 A <sub>peak</sub>			
Charge transfer capability $Q_t$	2.5 As			
Energy withstand capability W	9.5 kJ/kV <sub>uc</sub>			
Short circuit rating I <sub>s</sub>	40 kA <sub>DC</sub> for 0.2 s			

The thermal stability of the MO surge arrester is proved in the operating duty test according to class DC-B with two impulses of the charge transfer capability  $Q_t$  (total 5 As).

Classification according to IEC 60099-4					
Arrester class	SH, Station High				
Line discharge class (LD)	4				
Nominal discharge current $I_n$ (8/20 µs)	20 kA <sub>peak</sub>				
Repetitive charge transfer rating $Q_{rs}$	2.4 As (C)				
Long duration current impulse	1350 A for 2000 µs				

Mechanical loads					
Torque	50 Nm				
Tensile strength axial	1000 N				
Short term load SSL perpendicular to axis	225 Nm				
Long term load SLL perpendicular to axis	180 Nm				

Service conditions						
Ambient air temperature T <sub>amb</sub>	-60 to +40°C (for temperatures up to 80 °C consider instructions of application guidelines)					
Altitude	up to 1800 m (for higher altitudes contact ABB)					

## Electrical data and Housing

### Electrical data

Continuous operating voltage U <sub>c</sub> (=U <sub>r</sub> ) *	Residual voltage U <sub>res</sub> at specified impulse current									
	Steep current impulse wave 1/µs		Lightning current impulse wave 8/20 μs					Switching current impulse wave 30/60 μs		
	5 kA	10 kA	1 kA	2 kA	5 kA	l <sub>n</sub> =10 kA	20 kA	250 A	500 A	1000 A
kV <sub>DC</sub>	kV <sub>peak</sub>	kV <sub>peak</sub>	$kV_{peak}$	$kV_{peak}$	$kV_{peak}$	$kV_{peak}$	$kV_{peak}$	$kV_{peak}$	$kV_{peak}$	$kV_{peak}$
0.14	0.35	0.38	0.30	0.32	0.33	0.34	0.38	0.28	0.29	0.30
0.29	0.72	0.77	0.61	0.64	0.68	0.70	0.77	0.58	0.60	0.61
0.36	0.88	0.94	0.75	0.79	0.83	0.86	0.94	0.71	0.73	0.75
0.49	1.20	1.28	1.02	1.07	1.13	1.17	1.28	0.96	0.99	1.02
0.56	1.37	1.47	1.17	1.23	1.29	1.34	1.47	1.10	1.14	1.17
0.85	2.08	2.22	1.77	1.86	1.95	2.03	2.22	1.67	1.72	1.77
1.0	2.43	2.60	2.08	2.18	2.29	2.38	2.60	1.96	2.01	2.07
1.5	3.65	3.90	3.11	3.26	3.43	3.57	3.90	2.93	3.02	3.10
2.0	4.86	5.19	4.15	4.35	4.57	4.76	5.19	3.91	4.02	4.14
2.5	6.07	6.49	5.18	5.44	5.71	5.95	6.49	4.88	5.03	5.17
3.0	7.29	7.79	6.22	6.52	6.85	7.14	7.79	5.86	6.03	6.20
4.2	10.20	10.90	8.70	9.13	9.58	10.00	10.90	8.20	8.44	8.68


 $^{\ast}\,$  The rated voltage U  $_{\rm r}$  of the arrester coincides with the continuous operating voltage U  $_{\rm c}.\,$ 

### Housing


Continuous operating voltage U <sub>c</sub>	Creepage distance	Flashover distance	Height	Weight	Insulation withstand voltage of empty housing			
					1.2/50 μs		1 min wet	
					required values acc. to EN/IEC	guaranteed	required values acc. to EN/IEC	guaranteed
kV <sub>DC</sub>	mm	mm	mm	kg	kV <sub>peak</sub>	<b>kV</b> <sub>peak</sub>	kV <sub>DC</sub>	kV <sub>DC</sub>
0.14	232	120	90	≤2.0	0.50	95	0.34	30
0.29	232	120	90	≤2.0	1.03	95	0.70	30
0.36	232	120	90	≤2.0	1.27	95	0.86	30
0.49	232	120	90	≤2.0	1.72	95	1.17	30
0.56	232	120	90	≤2.0	1.97	95	1.34	30
0.85	232	120	90	≤2.0	2.99	95	2.03	30
1.0	232	120	90	≤2.0	3.50	95	2.38	30
1.5	232	120	90	≤2.0	5.25	95	3.57	30
2.0	232	120	90	≤2.0	7.00	95	4.76	30
2.5	232	120	90	≤2.0	8.75	95	5.95	30
3.0	232	120	90	≤2.0	10.50	95	7.14	30
4.2	232	120	90	≤2.0	14.70	95	10.00	30

### Dimensions

Dimensions according to outline drawing 1HC0050941 Outline drawings with accessories on request



Structure of type designation with optional accessories (Example)





Type of surge arrester — U <sub>c</sub> = Continuous operating voltage — Housing — Direct current —	
Type of top accessory (optional) ——— Type of bottom accessory (optional) —	

#### POLIM-H 1.5 SD / 1215 / 2216


## Common Top Accessories (optional)

#### Type 1215 Flat terminal (aluminium alloy)







### Common Bottom Accessories (optional)



Type 2216 3-points reinforced base R = 95 - (aluminium alloy)


Type 2149 4-points reinforced base (aluminium alloy)







### Common Bottom Accessories (optional)

Type 2223 3-points base R = 95 (hot-dip galvanized steel)









For more information please contact:

#### ABB Switzerland Ltd.

High Voltage Products Surge Arresters Jurastrasse 45 CH-5430 Wettingen Phone: +41 58 585 29 11 Telefax: +41 58 585 55 70 E-Mail: sales.sa@ch.abb.com

#### www.abb.com/arrestersonline

For detailed information for dimensioning of our products see following ABB documents:

- Application guidelines
  Overvoltage protection
  Metal oxide surge arresters in medium voltage systems
- Application guidelines
  Overvoltage protection
  Metal oxide surge arresters in railway facilities

For pdf or print version please send E-mail to: sales.sa@ch.abb.com

#### Note

We reserve the right to make technical changes or modify the contents of this document without prior notice. With regard to purchase orders the agreed particulars shall prevail. ABB does not accept any responsibility whatsoever for potential errors or possible lack of information in this document. We reserve all rights in this document and in the subject matter and illustrations contained therein. Any reproduction, disclosure to third parties or utilization of its contents – in whole or in parts – is forbidden without prior written consent of ABB.

Our products are certified according ISO 9001, 14001, 18001 and IRIS