

Doc. no. 2TLC172003D0203_A

Rev. ind. Date

From Anette Wester Odbratt

Dept. LPCC/JU
Phone +46300675903
Fax +46300675901

E-mail anette.wester-odbratt@se.abb.com

Environmental Information

| Product name | GATE Gateway, versions |
|---------------------------|---|
| | GATE-P2 - Profibus-DP GATE-D2 - DeviceNet GATE-C2 - CANopen GATE-E2 - EtherNet/IP, PROFINET and Modbus TCP GATE-EIP - EtherNet/IP GATE-EC - EtherCAT GATE-S3 - Sercos III GATE-PN - PROFINET GATE-MT - Modbus TCP |
| ABB Identity number | |
| Information provided by | Anette Wester Odbratt |
| (Name and e-mail address) | anette.wester-odbratt@se.abb.com |
| Business area | Low Voltage Products |
| Date | |

1. Related documents

Industrial T Architecture - Introduction and Definitions, 3BSE023904

Industrial ^{IT} Certification Overview, 3BSE023905

Industrial T Certification Guideline, 3BSE024526

Industrial IT Enabled Level 0 - Information, Introduction and Definitions, 3BSE025934

Ref documents:

http://inside.abb.com/The Insider/Featured Portals/Industrial IT Deployment/06 Product Certification/Document Library

Doc. no. 2TLC172003D0203

Rev. ind. Date

2. Environmental Information

2.1 Content of hazardous materials

Declare the presence of hazardous materials in the product. Printed circuit boards are declared separately under 2.1.1 and should be excluded from the declaration in the table below.

| Material | Example application | Yes | No | Quantity/unit Optional ⁽¹⁾ |
|--|---------------------------------------|-----|----|--|
| Lead | Batteries, cables | | Х | |
| Cadmium | Batteries, switches, additive in lead | | Х | |
| Mercury | Batteries, switches | | Х | |
| Beryllium | Contact springs | | Х | |
| Brominated flame retardants, e.g: PBB, PBDE, TBBPA | Additive in plastics or rubber | | X | |
| HCFCs, e.g: R 22, R 123, R 141b | Cooling media | | Х | |
| SF6, sulphurhexafluoride | Breakers | | Х | |
| Polyvinyl chloride, PVC | Cables | | Х | |

⁽¹⁾ Strive to declare the quantity. This is optional, however, since it is today sometimes difficult to retrieve such information, especially regarding supplied components.

2.1.1 Printed circuit boards

| Specify the a | amount of | printed (| circuit k | ooards | used in | the | product | by c | declaring | the t | total |
|---------------|-----------|-----------|-----------|--------|---------|-----|---------|------|-----------|-------|-------|
| board surfac | e: | | | | | | | | | | |

 \boxtimes < 1 dm²

 \Box 1-10 dm²

 \Box > 10 dm²

□ No printed circuit boards used in the product

2TLC172003D0203

Doc. no.

| | | | Rev. ind. | |
|----------------|--|------------------------|--|--|
| | | | Date | |
| 2.2 Recycl | ing infor | mation | | |
| | ls red | cycling ir | nformation for the product available? | |
| | | Yes | Ref. Document | |
| | X | No | | |
| | | , please rial is pr | specify, in the table below, the component/part/physical position where the esent: | |
| Material | | | Component/part/physical position | |
| Lead | | | | |
| Cadmium | | | | |
| Mercury | | | | |
| Beryllium | | | | |
| Brominated fla | ame retard | lants | | |
| HCFCs | ovefluerid | | | |
| | SF6, sulphurhexafluoride Polyvinyl chloride, PVC | | | |
| | | d/or loss | ses during the operation of the product | |
| | | ergy use mentatio | e and/or losses during operation of the product specified in the product on? | |

X

Yes

No

Not relevant

Ref. Document