

ABB MEASUREMENT & ANALYTICS | INFORMATION

C1300 and C1900

Circular chart recorders



CUS basic configuration sheet

Measurement made easy

C1300 advanced circular chart recorder

C1900 circular chart recorder/controller

Introduction

This Information sheet should be completed when a basic CUS configuration of a C1900 and C1300 recorder is required.

Sales



Servic



Softwar



Configuration sheets

Hysteresis (Units / Time)

Input 1	Input 2	
Input Type	Input Type	
Electrical Range Low	Electrical Range Low	
Electrical Range High	Electrical Range High	
Temperature Units	Temperature Units	
Engineering Range Low	Engineering Range Low	
Engineering Range High	Engineering Range High	
Broken Sensor Protection	Broken Sensor Protection	
Fault Detect Level	Fault Detect Level	
Pen Range High	Pen Range High	
Pen Range Low	Pen Range Low	
Alarm A1	Alarm A2	
Туре	Туре	
Trip	Trip	
Hysteresis (Units / Time)	Hysteresis (Units / Time)	
Alarm B1	Alarm B2	
Туре	Туре	

Outputs

Chart Duration
Pen Lift Key Enable

Hysteresis (Units / Time)

Relay 1.1 Source	
Relay 1.2 Source	
Analog Output 1 Source	
Analog Output 1 High	
Analog Output 1 Low	
Analog Output 2 Source	
Analog Output 2 High	
Analog Output 2 Low	